


GUOWEI

52E GUILLOTINE PAPER CUTTER



Max. speed
20r / minute



20 amp / 220volt



** Above Cutter picture may vary from the Actual New Model.
New Model / version will vary from the above picture.

GVDIRECT™
Finish Well

GVDirect™ diligently works to ensure our performance lineup of laminate films, digital technologies, equipment, and all things finishing work for our customers to gain consumer attention and market share. GVDirect™ diligently endeavors to deliver value in service, product, and equipment that surpass market demands, support productivity, and uphold social and environmental integrity.

1.877.526.6848

gvdirect.com

GUOWEI

52E GUILLOTINE PAPER CUTTER

Single-phase 220 v full hydraulic paper cutter, the structure is compact, small size, beautiful shape, cutting and paper system driven by hydraulic pressure, than mechanical transmission advantages of simple structure, low noise, low energy. Suitable for cutting paper or slightly soft materials like paper. Widely used in office and light printing enterprises.

Slotless workbench makes system rigidity is strong light energy, pushed by the workbench paper at the bottom of the screw drive, the vertical degree and parallel degree for adjustment, respectively, independently make precision adjustment is more simple and easy. Computer system adopts program-mable controller PLC programming control, color touch screen make the operation more simple. The machine is equipped with photoelectric protection device make the operation more secure.

Technical Parameters:


	Specifications
Cutting width	20.47" (52 cm)
Max cutting height w/o pressing plate	3.15" (8 cm)
Max.cutting Depth	20.47" (52 cm)
Max cutting depth w/o assistance pressing plate	0.79" (2 cm)
Extended length of working table	18.70" (47.5 cm)
Height (Working Table)	35" (89 cm)
Machine Width w/ side working table	31.10" (79 cm)
Total length (Working Table)	47.24" (120 cm)
Cutting speed (r/min)	20
Max. Paper pressure	7000
Power - Main Motor (kw)	2.2
Motor - Paper Feeding (kw)	0.06

	Specifications
Machine Weight (kg)	240 kg (530 lbs)
Overall Dimension (L x W x H)	53.15" x 35.43" x 53.54"




意大利液压系统
Italy hydraulic system


采用进口电气, 通过欧洲 CE 标准, 松下 PLC 控制系统
Adopt imported electric components, according to European CE standard, Panasonic PLC control system.



进口线性导轨, 进口滚珠丝杆
Imported linear guide rail imported ball lead screw



无槽工作台, 操作更快捷, 提高效率。
Slotless working table, conveniently operation, improve efficiency



光学对刀线, 使裁切更方便
The optical knife alignment make cutting more convenient.

Note: The information given above is believed to be true and accurate and is not intended to violate any statutory condition or right of a third party. GVDirect™ makes no warranty, express or implied, as to the fitness of the products for any specific use or purpose. The above data is purely for reader's consideration, investigation and verification.

GVDIRECT™

Finish Well

GVDirect™ diligently works to ensure our performance lineup of laminate films, digital technologies, equipment, and all things finishing work for our customers to gain consumer attention and market share. GVDirect™ diligently endeavors to deliver value in service, product, and equipment that surpass market demands, support productivity, and uphold social and environmental integrity.

1.877.526.6848

gvdirect.com

GUOWEI

52E GUILLOTINE PAPER CUTTER

Standard Configuration:

	Brand Model	Origin
Computer Display Screen	WEINVIEW 15 inches color touch screen	Taiwan
Ball-Lead Screw	Ball-Lead Screw	Taiwan
Linear guide	High-precision linear guide	Taiwan
Control center	Panasonic PLC	Japan
Servo drive	Nidec servo drive	Panasonic servo motor
Servo motor	Nidec servo motor	Panasonic servo motor
IR Grating	Import	Italy
Overload protection switch	Schneider	France
Relays	IDEAC	Japan
Contactore	Schneider	France
Air switch	LS	Korean
Start button	Moeller	Germany
Locating switch	Schneider	France
Hydraulic Pump	Marzocchi/Brevini	Italy
Hydraulic solenoid valve	Hyde Fuchs	American
Worm Reducer	CEM	Tianjin (American)
Proximity Switch	FOTEK	Taiwan
Bearing	NSK	Japan
Knife	IKS	Shanghai
Safety Relays	LEUZE	Germany

Note: The information given above is believed to be true and accurate and is not intended to violate any statutory condition or right of a third party. GVDirect™ makes no warranty, express or implied, as to the fitness of the products for any specific use or purpose. The above data is purely for reader's consideration, investigation and verification.

GVDIRECT™

Finish Well

GVDirect™ diligently works to ensure our performance lineup of laminate films, digital technologies, equipment, and all things finishing work for our customers to gain consumer attention and market share. GVDirect™ diligently endeavors to deliver value in service, product, and equipment that surpass market demands, support productivity, and uphold social and environmental integrity.

1.877.526.6848

gvdirect.com