

GUOWEI

68E GUILLOTINE PAPER CUTTER



** Above Cutter picture may vary from the Actual New Model.
New Model / version will vary from the above picture.

GVDIRECT™
Finish Well

GVDirect™ diligently works to ensure our performance lineup of laminate films, digital technologies, equipment, and all things finishing work for our customers to gain consumer attention and market share. GVDirect™ diligently endeavors to deliver value in service, product, and equipment that surpass market demands, support productivity, and uphold social and environmental integrity.

1.877.526.6848

gvdirect.com

GUOWEI

68E GUILLOTINE PAPER CUTTER

68E Full Hydraulic Paper Cutting Machine, Cutting and paper pressure are controlled by hydraulic transmission. Fully hydraulic drive makes the machine more secure and imported hydraulic parts ensure the stability of the system. The machine has the function of a reference setting and keeping, and the effectiveness of the reference and self-diagnostic function; infrared protection and hands button interlock protection device; pusher guide linear double guide, high precision of alignment and rear angle. Computer system adopts 10-inch colorful full-touch screen, servo motor driven.

The data resolution is 0.01mm, with self-diagnostic function and operation mode display, 100 program groups, more than 10,000 different cutting positions, dynamic tracking, max paper pushing speed 5-10 m / min, and it has imported hydraulic components, electrical configuration for the programmable logic controller PLC, electric components from France, Japan, Korea. Its key parts adopt imported bearing of low maintenance.

Technical Parameters:


	Specifications
Cutting width	26.77" (68 cm)
Max cutting height w/o pressing plate	3.15" (8 cm)
Max. cutting Depth	26.77" (68 cm)
Max cutting depth w/o assistance pressing plate	0.63" (1.6 cm)
Extended length of working table	20.87" (53 cm)
Height (Working Table)	36.22" (92 cm)
Machine Width w/ side working table	49.61" (126 cm)
Total length (Working Table)	57.09" (145 cm)
Cutting speed (r/min)	20
Max. Paper pressure	10,000
Power - Main Motor (kw)	1.5
Motor - Paper Feeding (kw)	0.4

	Specifications
Machine Weight (kg)	800 kg (1764 lbs)
Overall Dimension (L x W x H)	59.06" x 49.61" x 56.69"




意大利液压系统
Italy hydraulic system


采用进口电气, 通过欧洲 CE 标准, 松下 PLC 控制系统
Adopt imported electric components, according to European CE standard, Panasonic PLC control system.



进口线性导轨, 进口滚珠丝杆
Imported linear guide rail imported ball lead screw



无槽工作台, 操作更快捷, 提高效率。
Slotless working table, conveniently operation, improve efficiency



光学对刀线, 使裁切更方便
The optical knife alignment make cutting more convenient.

Note: The information given above is believed to be true and accurate and is not intended to violate any statutory condition or right of a third party. GVDirect™ makes no warranty, express or implied, as to the fitness of the products for any specific use or purpose. The above data is purely for reader's consideration, investigation and verification.

GVDIRECT™

Finish Well

GVDirect™ diligently works to ensure our performance lineup of laminate films, digital technologies, equipment, and all things finishing work for our customers to gain consumer attention and market share. GVDirect™ diligently endeavors to deliver value in service, product, and equipment that surpass market demands, support productivity, and uphold social and environmental integrity.

1.877.526.6848

gvdirect.com

GUOWEI

68E GUILLOTINE PAPER CUTTER

Standard Configuration:

	Brand Model	Origin
Computer Display Screen	WEINVIEW 15 inches color touch screen	Taiwan
Ball-Lead Screw	Ball-Lead Screw	Taiwan
Linear guide	High-precision linear guide	Taiwan
Control center	Panasonic PLC	Japan
Servo drive	Nidec servo drive	Panasonic servo motor
Servo motor	Nidec servo motor	Panasonic servo motor
IR Grating	Import	Italy
Overload protection switch	Schneider	France
Relays	IDEAC	Japan
Contactors	Schneider	France
Air switch	LS	Korean
Start button	Moeller	Germany
Locating switch	Schneider	France
Hydraulic Pump	Marzocchi/Brevini	Italy
Hydraulic solenoid valve	Hyde Fuchs	American
Worm Reducer	CEM	Tianjin (American)
Proximity Switch	FOTEK	Taiwan
Bearing	NSK	Japan
Knife	IKS	Shanghai
Safety Relays	LEUZE	Germany

Note: The information given above is believed to be true and accurate and is not intended to violate any statutory condition or right of a third party. GVDirect™ makes no warranty, express or implied, as to the fitness of the products for any specific use or purpose. The above data is purely for reader's consideration, investigation and verification.

GVDIRECT™

Finish Well

GVDirect™ diligently works to ensure our performance lineup of laminate films, digital technologies, equipment, and all things finishing work for our customers to gain consumer attention and market share. GVDirect™ diligently endeavors to deliver value in service, product, and equipment that surpass market demands, support productivity, and uphold social and environmental integrity.

1.877.526.6848

gvdirect.com